

KATS COATINGS® offers environmentally friendly and fast-drying coatings, cleaners and removers. With a complete line of water-based products; KATS COATINGS includes product solutions for industries including: Automotive, Rail, Oil & Gas, Industrial (Mining, Agriculture & Construction), and General Industry. For more than 25 years, KATS COATINGS has exceeded customer expectations for quality products and service.





Automotive Industry

6028

Rust Protective Coating - Satin Clear

KATS 6028 is a water-based, rust preventive coating formulated using plant base polymer technology to provide outstanding protection against corrosion on both ferrous and nonferrous metals. KATS 6028 protects the vehicle underbody coating, machine components during storage, metal stock, and outdoor stored gears. This product is colorless (clear) and leaves an attractive satin finish. Normal duration of protection is up to 3 years. KATS 6028 is not meant for application where yellowing resistance is critical.

6228

Rust Protective Coating - Satin Black

KATS 6228 is a water-based, rust preventive coating formulated using plant base polymer technology to provide outstanding protection against corrosion on both ferrous and nonferrous metals. KATS 6228 protects the vehicle underbody coating, machine components during storage, metal stock, and outdoor stored gears. This product leaves an attractive black satin finish. Normal duration of protection is up to 3 years.

5080

Temporary Coating

KATS 5080 is a water-based, synthetic acrylic copolymer coating designed to protect nonporous surfaces from abrasion and environmental damage. It's suitable for use on a wide variety of surfaces including painted components, plated metal, plastics, and glass. This coating protects from acid rain, tree sap, bird droppings, insect impact, insect secretions, abrasive dust, iron particles, etc. KATS 5080 is easily removed using KATS 8077.

5580

Temporary Coating (Outdoor)

KATS 5580 is very similar to KATS 5080, but without VOC and it has a yellow tint. It is a water-based, synthetic acrylic copolymer coating designed to protect nonporous surfaces from abrasion and environmental damage. KATS 5580 is suitable for use on a wide variety of surfaces including painted components, plated metal, plastics, and glass. This coating protects from acid rain, tree sap, bird droppings, insect impact, insect secretions, abrasive dust, iron particles, etc. KATS 5580 can be removed using KATS cleaners, such as, 8077, 8577, and Kwik Kleen Concentrate.

8077

Remover

KATS 8077 is a biodegradable and concentrated, water-based remover for KATS temporary coatings; which are typically used to protect vehicles, machines, etc. during transport.

5200

Chrome Protectant

KATS 5200 is a water-based coating modified with sustainable technology designed to protect chrome surfacefrom environmental damage with excellent early water resistance. It may require high pressure water or mildsponge agitation during final rinsing. KATS 5200 is often used to protect chrome surfaces during transit and storage. Typical applications include: automobiles, boats/watercraft, recreational vehicles/ATVs, machine tools, and farm equipment. This coating is easily cleaned off with KATS 8077 or Kwik Kleen Concentrate.

4550

Zero VOC Coating - Clear

KATS 4550 is a colorless, water-based indoor and covered outdoor, rust preventive coating, free of volatile organic compounds. It's designed to protect engine or other ferrous and nonferrous metals and can be applied over light rust. Protection lasts up to 12 months, depending on storage conditions. KATS 4550 can be applied using a manual spray wand or an automatic system.

Rail Industry

6027

Rust Protective Coating - Clear

KATS 6027 is a water-based, rust preventive coating formulated using synthetic polymer technology to provide outstanding protection against corrosion on both ferrous and nonferrous metals. Typical applications include: engines, exposed metal components of mobile, farm and industrial equipment. This product leaves a colorless (clear) high gloss finish. Normal duration of protection is up to one year when exposed to the elements.

6228

Rust Protective Coating - Satin Black

KATS 6228 is a water-based, rust preventive coating formulated using plant base polymer technology to provide outstanding protection against corrosion on both ferrous and nonferrous metals. KATS 6228 protects the vehicle underbody coating, machine components during storage, metal stock, and outdoor stored gears. This product leaves an attractive black satin finish. Normal duration of protection is up to 3 years.

5580

Temporary Coating - Outdoor

KATS 5580 is very similar to KATS 5080, but without VOC and it has a yellow tint. It is a water-based, synthetic acrylic copolymer coating designed to protect nonporous surfaces from abrasion and environmental damage. KATS 5580 is suitable for use on a wide variety of surfaces including painted components, plated metal, plastics, and glass. This coating protects from acid rain, tree sap, bird droppings, insect impact, insect secretions, abrasive dust, iron particles, etc. KATS 5580 can be removed using KATS cleaners, such as, 8077, 8577, and Kwik Kleen Concentrate.



Oil & Gas Industry

6028

Rust Protective Coating - Satin Clear

KATS 6028 is a water-based, rust preventive coating formulated using plant base polymer technology to provide outstanding protection against corrosion on both ferrous and nonferrous metals. KATS 6028 protects the vehicle underbody coating, machine components during storage, metal stock, and outdoor stored gears. This product is colorless (clear) and leaves an attractive satin finish. Normal duration of protection is up to 3 years. KATS 6028 is not meant for application where yellowing resistance is critical.

6228

Rust Protective Coating - Satin Black

KATS 6228 is a water-based, rust preventive coating formulated using plant base polymer technology to provide outstanding protection against corrosion on both ferrous and nonferrous metals. KATS 6228 protects the vehicle underbody coating, machine components during storage, metal stock, and outdoor stored gears. This product leaves an attractive black satin finish. Normal duration of protection is up to 3 years.

5080

Temporary Coating

KATS 5080 is a water-based, synthetic acrylic copolymer coating designed to protect nonporous surfaces from abrasion and environmental damage. It's suitable for use on a wide variety of surfaces including painted components, plated metal, plastics, and glass. This coating protects from acid rain, tree sap, bird droppings, insect impact, insect secretions, abrasive dust, iron particles, etc. KATS 5080 is easily removed using KATS 8077.

5580

Temporary Coating - Outdoor

KATS 5580 is very similar to KATS 5080, but without VOC and it has a yellow tint. It is a water-based, synthetic acrylic copolymer coating designed to protect nonporous surfaces from abrasion and environmental damage. KATS 5580 is suitable for use on a wide variety of surfaces including painted components, plated metal, plastics, and glass. This coating protects from acid rain, tree sap, bird droppings, insect impact, insect secretions, abrasive dust, iron particles, etc. KATS 5580 can be removed using KATS cleaners, such as, 8077, 8577, and Kwik Kleen Concentrate.

8077 Remover

KATS 8077 is a biodegradable and concentrated, water-based remover for KATS temporary coatings; which are typically used to protect vehicles, machines, etc. during transport.



Industrial (Mining, Agriculture and Construction)

6028

Rust Protective Coating - Satin Clear

KATS 6028 is a water-based, rust preventive coating formulated using plant base polymer technology to provide outstanding protection against corrosion on both ferrous and nonferrous metals. KATS 6028 protects the vehicle underbody coating, machine components during storage, metal stock, and outdoor stored gears. This product is colorless (clear) and leaves an attractive satin finish. Normal duration of protection is up to 3 years. KATS 6028 is not meant for application where yellowing resistance is critical.

6027

Rust Protective Coating - Clear

KATS 6027 is a water-based, rust preventive coating formulated using synthetic polymer technology to provide outstanding protection against corrosion on both ferrous and nonferrous metals. Typical applications include: engines, exposed metal components of mobile, farm and industrial equipment. This product leaves a colorless (clear) high gloss finish. Normal duration of protection is up to one year when exposed to the elements.

6228

Rust Protective Coating - Satin Black

KATS 6228 is a water-based, rust preventive coating formulated using plant base polymer technology to provide outstanding protection against corrosion on both ferrous and nonferrous metals. KATS 6228 protects the vehicle underbody coating, machine components during storage, metal stock, and outdoor stored gears. This product leaves an attractive black satin finish. Normal duration of protection is up to 3 years.

5080

Temporary Coating

KATS 5080 is a water-based, synthetic acrylic copolymer coating designed to protect nonporous surfaces from abrasion and environmental damage. It's suitable for use on a wide variety of surfaces including painted components, plated metal, plastics, and glass. This coating protects from acid rain, tree sap, bird droppings, insect impact, insect secretions, abrasive dust, iron particles, etc. KATS 5080 is easily removed using KATS 8077.

5580

Temporary Coating - Outdoor

KATS 5580 is very similar to KATS 5080, but without VOC and it has a yellow tint. It is a water-based, synthetic acrylic copolymer coating designed to protect nonporous surfaces from abrasion and environmental damage. KATS 5580 is suitable for use on a wide variety of surfaces including painted components, plated metal, plastics, and glass. This coating protects from acid rain, tree sap, bird droppings, insect impact, insect secretions, abrasive dust, iron particles, etc. KATS 5580 can be removed using KATS cleaners, such as, 8077, 8577, and Kwik Kleen Concentrate.

8077 Remover

KATS 8077 is a biodegradable and concentrated, water-based remover for KATS temporary coatings; which are typically used to protect vehicles, machines, etc. during transport.



Industrial (Mining, Agriculture and Construction)

4550

Zero VOC Coating - Clear

KATS 4550 is a colorless, water-based, indoor and covered outdoor rust preventive coating, free of volatile organic compounds. It's designed to protect engine or other ferrous and nonferrous metals and can be applied over light rust. Protection lasts up to 12 months, depending on storage conditions. KATS 4550 can be applied using a manual spray wand or an automatic system.

General Industry

5580

Temporary Coating - Outdoor

KATS 5580 is very similar to KATS 5080, but without VOC and it has a yellow tint. It is a water-based, acrylic copolymer coating designed to protect nonporous surfaces from abrasion and environmental damage. KATS 5580 is suitable for use on a wide variety of surfaces including painted components, plated metal, plastics, and glass. This coating protects from acid rain, tree sap, bird droppings, insect impact, insect secretions, abrasive dust, iron particles, etc. KATS 5580 can be removed using KATS cleaners, such as, 8077, 8577, and Kwik Kleen Concentrate.



